

Barrow County School System Maintenance Department is requesting for proposals for two different Chain Link Fence projects listed below. Please submit the projects on two separate proposal forms. Email Proposals no later than Friday July 28th to randall.gordon@barrow.k12.ga.us, and greg.webb@barrow.k12.ga.us. If you have any questions please contact Randy Gordon @ cell: 678-898-7639, office: 770-867-5711. If your company is awarded the project and you are not currently a Vendor for Barrow County School System, you will be required to fill out the attached new "Vendor Packet" and meet all the Insurance requirements before receiving a Purchase Order and starting the work.

Location: Winder Barrow High School Baseball and Softball Field Complex:

338 Monroe Hwy,
Winder, Ga. 30680

Project 1) Winder Barrow High School Baseball Fence: Hwy 11 Baseball practice field.

Please see the attached picture of the property. This will have a part A & B as 2 separate prices for this project.

Section A) Please provide a proposal to install a Black Vinyl Coated Chain Link Fence for the outfield border line approximately 562'

Specs:

Color: Black

Fence Type: 6 gauge, Vinyl Coated, Chain Link, 6' high, 562 long.

Top Rails 1-5/8" rated .065.

Line Post: 2" diameter, rated SS-20.

End Post: 3" Diameter, rated SS-40.

Wire Ties: 9 gauge black, Steel "only", 18"-20" on center.

Bottom strand Wire: 6 gauge black, 562' long.

All post concreted

All Hardware to match existing.

Fence to run with the contour of the ground.

Contractor is responsible for the delivery of all materials, materials while on the site and clean up after the job is complete.

Section B) Replacing the existing residential chain link fence wire and top rail: 310' of the Fence is 5' tall. Cut the 5' high support post to handle 4' high Chain Link Fence

Specs:

Color: Black

Fence Type: 6 gauge, Vinyl Coated, Chain Link, 4' high, 470' long

Replace the Top Rail with 1-5/8" rated .065, approximately 470'.

Wire Ties: 9 gauge black, Steel "only", 18"-20" on center.

Bottom strand Wire: 6 gauge, 470' long.

All post concreted

All Hardware to match existing.

Fence to run with the contour of the ground.

Contractor is responsible for the delivery of all materials, materials while on the site and clean up after the job is complete.

Project 2) Please see the attached Site Picture for the approximate fence location. Install approximately 845' Fence and Gates at Holsenbeck Elementary School around the playground area:

Location: Holsenbeck Elementary School:

445 Holsenbeck School Road

Winder, Ga. 30680

Specs:

Gates: All mounting hardware and gate locks to be included.

1 each, 5' gate.

1 each, 9' gate (2 each @ 52")

1 each 12' gate (2 each @ 6')

3 each Magna Latch assembly Model- DT2553-BL mounted on each gate.

Chain Link Fence:

Color: Black

Fence Type: 6 gauge, Vinyl Coated, Chain Link, 6' high, 845' long

Top Rails 1-5/8" rated .065

Line Post: 2" diameter, rated SS-20

End Post: 3" Diameter, rated SS-40

Wire Ties: 9 gauge, Steel "only", 18"-20" on center.

Bottom strand Wire: 6 gauge, 562' long.

All post concreted

All Hardware to match existing.

Fence to run with the contour of the ground.

Location: Holsenbeck Elementary School:

445 Holsenbeck School Road

Winder, Ga. 30680